

URGENT SAFETY INFORMATION

avateramedical GmbH
 Ernst-Ruska-Ring 23
 07745 Jena
 Germany
 21. September 2022

To: Representative for Medical Device Safety, Medical Technology

Service deployment concerning avatera Telemanipulator

This document contains important information for your product. Please ensure that all potential users in your healthcare facility are made aware of this safety notice and the recommended actions. Please retain this document for your records.

Products concerned	<i>Affected regions:</i> all regions <i>Affected products:</i> all clinical telemanipulators, manufactured from January 01st 2022 Item-Number (REF): 1100000002
Safety issue	Due to mechanical stress on plug connections, data packets of the real-time communication may be lost within the telemanipulator. This could lead to a "SafeState" during a surgical intervention, which can be remedied with a short time delay of approx. 120 sec. by a soft reboot.
Measures required	You yourself, as the user of the avatera Telemanipulator, do not have to observe or perform any safety measures. As a preventive measure, the corresponding plug connections are additionally secured mechanically by the service staff of avateramedical . Furthermore, cable paths are optimized to reduce possible mechanical stress. We will contact you within the next two weeks to implement this service measure in a timely manner.
Contact	For questions regarding this corrective action or to identify the products concerned, please contact your local sales or service representative or the Technical Support Service Center. Tel. +49 3641 2724 300 / prrc@avateramedical.com .

avateramedical confirms that this notification has been sent to the competent national authority.

In this context, we would like to point out that the preservation of a high level of safety and quality is our primary priority.

We thank you for your cooperation and apologize for any inconvenience caused.
 Please also refer to the following page to acknowledge receipt of this safety information.

Yours sincerely

Carsten Sumpf
 SVP CR, **avateramedical**

NOTIFICATION CONCERNING A MEDICAL PRODUCT

Please send the completed acknowledgement of receipt by e-mail to: prrc@avateramedical.com

Please complete this form and return it to **avateramedical** immediately upon receipt, but no later than 7. October 2022.

- I acknowledge receipt and comprehension of the enclosed notice about the medical device. I further acknowledge that responsible personnel have been informed and have taken or will take appropriate action in accordance with this notice.

Healthcare facility: _____

Street and number: _____

Postal code and city: _____

Name (print letters): _____

Position: _____

E-Mail address: _____

Phone number: _____

Signature: _____

Date (DD.MM.YYYY) _____