

TÕRVANINA	Escherichia coli (pmü/100ml)	0	0	1	2	0	0	60	3																														
	Proovivõtmise aeg	19.05.2008	03.06.2008	09.06.2008	30.06.2008	02.07.2008	05.08.2008	13.08.2008																															
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	0	0	0	0	0	50	60																															
Escherichia coli (pmü/100ml)	0	0	0	25	2	150	30																																
KAUKSI RAND	Proovivõtmise aeg	18.05.2008	28.05.2008	13.06.2008	03.07.2008	14.07.2008	31.07.2008	11.08.2008	18.08.2008	27.08.2008																													
	Suplusvee kvaliteedi vastamine normidele											sinivetikad																											
	Soole enterokokkid (pmü/100ml)	<10	0	<10	<1	10	1	47		40																													
	Escherichia coli (pmü/100ml)	<10	<10	180	<100	560	<100	710		<100																													
NARVA-JÕESUU RAND	Proovivõtmise aeg	15.05.2008	03.06.2008	16.06.2008	01.07.2008	15.07.2008	29.07.2008	12.08.2008	26.08.2008																														
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	13	18	3	1	36	5	2	28																														
	Escherichia coli (pmü/100ml)	0	289	57	<100	50	100	<100	12																														
NARVA JOAORU RAND	Proovivõtmise aeg	15.05.2008	03.06.2008	09.06.2008	01.07.2008	07.07.2008	29.07.2008	04.08.2008	02.09.2008																														
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	13	12	72	16	36	30	27	18																														
	Escherichia coli (pmü/100ml)	6	<100	12	<100	50	250	117	<100																														
AA RAND	Proovivõtmise aeg	14.05.2008	29.05.2008	17.06.2008	02.07.2008	15.07.2008	28.07.2008	14.08.2008	01.09.2008																														
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	2	10	<1	7	37	6	50	9																														
	Escherichia coli (pmü/100ml)	<10	<10	<100	<100	<100	200	<100	<100																														
LIIMALA	Proovivõtmise aeg	14.05.2008	05.06.2008	17.06.2008	02.07.2008	15.07.2008	28.07.2008	14.08.2008	01.09.2008																														
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	5	2	3	23	75	11	48	23																														
	Escherichia coli (pmü/100ml)	25	<100	<100	<100	657	250	250	150																														
RANNA- PUNGERJA	Proovivõtmise aeg	12.05.2008	28.05.2008	16.06.2008	03.07.2008	14.07.2008	31.07.2008	11.08.2008	27.08.2008																														
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	22	<1	6	4	24	18	86	26																														
	Escherichia coli (pmü/100ml)	159	21	<100	<100	100	<100	<100	<100																														
REMNIKU	Proovivõtmise aeg	28.05.2008	16.06.2008	03.07.2008	14.07.2008	31.07.2008	11.08.2008	27.08.2008																															
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	0	1	0	3	1	25	46																															
	Escherichia coli (pmü/100ml)	10	<100	<100	<100	<100	100	<100																															
SILLAMÄE	Proovivõtmise aeg	14.05.2008	28.05.2008 keskel	05.06.2008 keskel	12.06.2008k eskel	18.06.2008 vasakul	18.06.2008 paremal	25.06.2008 vasakul	01.07.2008 keskel	01.07.2008 vasakul	01.07.2008 paremal	07.07.2008 keskel	07.07.2008 vasakul	07.07.2008 paremal	09.07.2008 keskel	09.07.2008 vasakul	09.07.2008 paremal	16.07.2008	21.07.2008	28.07.2008	13.08.2008																		
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	69	124	203	7	74	33	1200	7	20	0	4	4	1	0	1	2	33	163	61	3																		
	Escherichia coli (pmü/100ml)	259	141	141	0	100	<100	2900	120	210	70	300	300	0	300	300	100	<100	632	280	<100																		
TOILA	Proovivõtmise aeg	27.05.2008	28.05.2008	16.06.2008	02.07.2008	14.07.2008	28.07.2008	13.08.2008	01.09.2008																														
	Suplusvee kvaliteedi vastamine normidele																																						
	Soole enterokokkid (pmü/100ml)	<10	4	<10	12	10	7	36	3																														
	Escherichia coli (pmü/100ml)	<10	14	170	<100	380	329	750	<100																														
KUREMAA	Proovivõtmise aeg	20.05.2008	26.05.2008	09.06.2008	17.06.2008	01.07.2008	15.07.2008	11.08.2008	19.08.2008																														
	Suplusvee kvaliteedi vastamine normidele																																						

Ida-Virumaa

	HOLM	Soole enterokokkide (pmü/100ml)	2	2	7	0	0	820	120																															
		Escherichia coli (pmü/100ml)	2	1	<10	21	8	35	44																															
	VÕSU RAND	Proovivõtmise aeg	20.05.2008	03.06.2008	17.06.2008	01.07.2008	15.07.2008	30.07.2008	12.08.2008	28.08.2008	11.09.2008																													
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺	☺	☺	☺	☺	☺																													
		Soole enterokokkide (pmü/100ml)	0	<1	0	4	12	3	3	3	1																													
		Escherichia coli (pmü/100ml)	<10	<100	<10	<100	<100	<100	<100	<100	<100																													
	KALLJÄRV	Proovivõtmise aeg	20.05.2008	03.06.2008	10.07.2008	14.08.2008																																		
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺																																		
		Soole enterokokkide (pmü/100ml)	2	2	2	27																																		
		Escherichia coli (pmü/100ml)	10	<100	<100	<100																																		
	KAREPA	Proovivõtmise aeg	20.05.2008	03.06.2008	17.06.2008	01.07.2008	15.07.2008	30.07.2008	12.08.2008	28.08.2008																														
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺	☺	☺	☺	☺																														
		Soole enterokokkide (pmü/100ml)	5	2	0	34	38	17	15	10																														
		Escherichia coli (pmü/100ml)	174	778	<100	510	100	100	<100	<100																														
	KUNDA	Proovivõtmise aeg	20.05.2008	03.06.2008	17.06.2008	01.07.2008	15.07.2008	22.07.2008	30.07.2008	12.08.2008	28.08.2008																													
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺	☺	☺	☺	☺	☺																													
		Soole enterokokkide (pmü/100ml)	10	<1	<1	15	170	10	5	16	34																													
		Escherichia coli (pmü/100ml)	120	<100	<100	200	620	233	450	<100	<100																													
	PÄRNU RAND	Proovivõtmise aeg	05.05.2008 (Mudaravila)	05.05.2008 (Kuuse)	12.05.2008 (Mudaravila)	12.05.2008 (Kuuse)	26.05.2008 (Mudaravila)	02.06.2008 (Mudaravila)	02.06.2008 (Kuuse t.)	04.06.2008 (Mudaravila)	04.06.2008 (Kuuse t.)	16.06.2008 (Mudaravila)	16.06.2008 (Kuuse t.)	25.06.2008 (Mudaravila)	25.06.2008 (Kuuse t.)	30.06.2008 (Mudaravila)	30.06.2008 (Kuuse t.)	07.07.2008 (Mudaravila)	07.07.2008 (Kuuse t.)																					
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺																					
		Soole enterokokkide (pmü/100ml)	20	16	9	9	4	2	<2	34	2	2	8	34	26	6	12	4	8																					
		Escherichia coli (pmü/100ml)	140	150	150	60	40	30	<9	90	90	120	120	160	180	400	160	150	110																					
		Proovivõtmise aeg	14.07.2008 (Mudaravila)	14.07.2008 (Kuuse t.)	21.07.2008 (Mudaravila)	21.07.2008 (Kuuse t.)	23.07.2008 (Kuuse t.)	28.07.2008 (Mudaravila)	28.07.2008 (Kuuse t.)	04.08.2008 (Mudaravila)	04.08.2008 (Kuuse t.)	11.08.2008 (Mudaravila)	11.08.2008 (Kuuse t.)	18.08.2008 (Mudaravila)	18.08.2008 (Kuuse t.)	25.08.2008 (Mudaravila)	25.08.2008 (Kuuse t.)	26.08.2008 (Kuuse t.)	01.09.2008	08.09.2008 (Mudaravila)	08.09.2008 (Kuuse t.)																			
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺																				
		Soole enterokokkide (pmü/100ml)	10	<2	6	8	8	8	<2	14	4	10	50	106	120	44	12	30	6	2	4																			
		Escherichia coli (pmü/100ml)	<9	<9	240	250	230	310	250	260	70	80	140	50	60	270	220	310	70	<9	10																			
	VANA-PÄRNU RAND	Proovivõtmise aeg	05.05.2008	12.05.2008	04.06.2008	16.06.2008	25.06.2008	30.06.2008	14.07.2008	23.07.2008	28.07.2008	11.08.2008	25.08.2008	26.08.2008	08.09.2008																									
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺																									
		Soole enterokokkide (pmü/100ml)	32	10	12	4	26	40	10	50	20	60	200	130	20																									
		Escherichia coli (pmü/100ml)	370	420	240	760	120	490	30	260	90	90	400	740	1																									
	MAI RAND	Proovivõtmise aeg	05.05.2008	12.05.2008	04.06.2008	16.06.2008	25.06.2008	30.06.2008	14.07.2008	23.07.2008	28.07.2008	11.08.2008	25.08.2008	26.08.2008	08.09.2008																									
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺																									
		Soole enterokokkide (pmü/100ml)	86	9	2	4	116	28	<2	80	4	30	36	150	<2																									
		Escherichia coli (pmü/100ml)	310	90	120	170	470	130	<9	140	140	70	50	180	<9																									
	RAEKÜLA RAND (meri)	Proovivõtmise aeg	05.05.2008	12.05.2008	04.06.2008	16.06.2008	25.06.2008	30.06.2008	14.07.2008	23.07.2008	28.07.2008	11.08.2008	25.08.2008	26.08.2008	08.09.2008																									
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺	☺																									
		Soole enterokokkide (pmü/100ml)	100	9	6	<2	26	20	<2	70	8	20	16	60	6																									
		Escherichia coli (pmü/100ml)	150	30	180	30	120	40	<9	110	200	50	50	320	1900																									
	KABLI	Proovivõtmise aeg	16.05.2008	12.06.2008	16.07.2008	15.08.2008																																		
		Suplusvee kvaliteedi vastamine normidele	☺	☺	☺	☺																																		
		Soole enterokokkide (pmü/100ml)	9	20	20	102																																		
		Escherichia coli (pmü/100ml)	9	170	30	580																																		

Lääne-
Virumaa

Pärnumaa

